KJH LIGHTS

东莞市康钜虹光电科技有限公司
DONGGUAN KJH LIGHTS CO.,LTD

Get in Touch with Us

东莞市康钜虹光电科技有限公司
DONGGUAN KJH LIGHTS CO.,LTD

Factory: Building2, Guang Zhi Bo Teng Industrial Park, Dongguan,Guangdong, China
Business & R & D Center: Room 2311, SIC Jiahong International Center, Songshan Lake
Mixc Dongguan , Guangdong ,China

Phone: +86 769 82930676

Mobile:+86 13923758210

Email: sales@focusledlighting.com

Web：www. focusledlighitng.com

APP Download

For Apple Devices   For Android Devices

Kang Ju Hong
KJH-Lights
Focusing on LED Lighting.

www.focusledlighting.com

COMPANY PROFILE

KJH is an ISO9001-certified manufacturer in production of LED outdoor landscape lighting and down lights. Established in 2014 with a passion for lighting innovation and a commitment of quality, KJH has been a trusted supplier in global market.

Our factory is equipped with advanced production equipments and a team of highly skilled technicians. We follow strict quality control process to ensure that our manufacturing processes meet the highest international standards. Our experienced R&D team is constantly striving to develop new and innovative products by incorporating the latest features and designs into products. Whether it's for energy efficiency, aesthetic appeal, or functionality, our products are designed to exceed expectations.

We work in close collaboration with our clients to understand their specific needs and provide customized solutions. Our team is available to provide support throughout the entire process, from product developing to after-sales services.

With a focus on quality, innovation, and customer service, KJH is your ideal partner of lighting. We are confident that our products and services will exceed your expectations. Contact us today and let's jointly create a brighter future.

TABLE OF CONTENT

COMPANY PROFILE

20 years+
Experience in lighting business in US&EU

5000㎡
Factory floor area

20+
Professional engineers

100+
Employee

GLOBAL CERTIFICATION

ISO 9001 · ISO14000 · ETL Intertek · CSA · CE · CCC · FC · RoHS

INOVATIVE PRODUCTS

RGBCW LED Smart Light

Our RGBCW LED Smart Light use the most advanced BT technology and have RF&BT dual-module built-in. The entire system is extremely easy connect and stable. Allows for grouping, timing, memory, creating scenes, and synchronization etc. Whole system is fast and stable.

Spotlight   Flood light   MR16   Par36   MR11   GU4

RED   GREEN   BLUE   2200K   2700K   3000K   4000K   5000K

LED Landscape Spotlight with Replaceable Module

Screw in and out design with an easy-replace high power LED module allows to replace light source effortlessly.

Adjustable Beam Angle LED Light

Our innovatively designed lamp allows for effortless adjustment of the beam angle by freely twisting the cap. It has beam angles from narrow to wide to achieve your desired illumination effect.

LANDSCAPE LIGHTING

KJH landscape lighting is design exclusively using durable cast brass or stainless steel material and top seal technology to prevent water intrusion and corrosion, which is specifically for outdoor different areas.

LED SPOTLIGHT

K22-BL3

Wattage	13W
Input voltage	8-16VAC/DC
CCT	2700K-6000K
Beam Angle	36°/60°
Material	Cast brass

Features

Replaceable LED module

Interch angeable optics

IP67 Waterproof

RGBCW light available

RGB | 2200-5000K TunableW | 50000HRS | Bluetooth

KZ24-BL2

Wattage	12W/15W
Input voltage	8-16VAC/DC
CCT	2700K-6000K
Beam Angle	15°/24°/36°/60°
Material	Cast brass

Features

Interchangeable optics
(15°/24°/36°/60)

IP67 Waterproof

RGBCW light available

RGB | 2200-5000K TunableW | 50000HRS | Bluetooth

KZ24-BL2N1

Wattage	12W/15W
Input voltage	8-16V AC/DC
CCT	2700K-6000K
Beam Angle	15°/24°/36°/60°
Material	Cast brass

Features

Replaceable LED module

IP67 Waterproof

RGBCW light available

RGB | 2200-5000K TunableW | 50000HRS | Bluetooth

KZ24-BL4

Wattage	20W
Input voltage	8-16VAC/DC
CCT	2700K-6000K
Beam Angle	15°/24°/36°/60°
Material	Cast brass

Features

Interchangeable optics
(15°/24°/36°/60°)

IP67 Waterproof

RGBCW light available

RGB | 2200-5000K TunableW | 50000HRS | Bluetooth

东莞市康钜虹光电科技有限公司
DONGGUAN KJH LIGHTS CO.,LTD

LED SPOTLIGHT

K24-BL4RE

Wattage	20W
Input voltage	8-16VAC/DC
CCT	2700K-6000K
Beam Angle	15°/24°/36°/60°
Material	Cast brass

Features

Replaceable LED module

IP67 Waterproof

RGBCW light available

LED RECESSED STEP LIGHT

K24-MDL1

Wattage	1W
Input voltage	8-16V AC/DC
CCT	2700K-6000K
Lens	Clear/Frosted/diffused
Material	Cast brass

Features

Integrated LED light

IP67 Waterproof

RGBCW light available

LED FLOOD LIGHT

K22H-BLV3

Wattage	15W/18W
Input voltage	8-16VAC/DC
CCT	2700K-6000K
Beam Angle	120°
Material	Cast brass

Features

Integrated LED light

IP65 Waterproof

RGBCW light available

LED WATER LIGHT KIT

K24-UWL

| Wattage	3W*3pcs/5pcs
Input voltage	8-16VAC/DC
CCT	2700K-6000K
Lens	Clear/Frosted/diffused
Material	Cast brass

Features

Compact Mini design

Replaceable LED module

IP68 Waterproof

RGBCW light available

东莞市康钜虹光电科技有限公司
DONGGUAN KJH LIGHTS CO.,LTD

LED PUCK LIGHT

K24-BPK3

Wattage	3W
Input voltage	8-16VAC/DC
CCT	2700K-6000K
Lens	Clear/Frosted/diffused
Material	Cast brass

1.504in
0.906in
0.315in

Features

Integrated LED light

IP67 Waterproof

RGBCW light available

RGB | 2200-6500K Tunable | 50000HRS | Bluetooth

MR16 LAMP

K22-MR16

Wattage	5W
Input voltage	8-16V AC/DC
CCT	2700K-6000K
CRI	RA>90
Beam Angle	36°/60°

1.953in
2.016in
0.293in

Features

Cast aluminum housing

Overheat protection

Suitable for damp location

GU5.3 | 50000HRS | ETL Intertek | 5

LED SPIKE LIGHT

K24-SP-NC5

Wattage	5W
Input voltage	8-16VAC/DC
CCT	2700K-6000K
Beam Angle	36°/60°
Material	Aluminum

Ø59.8 (2 3/8")
85.5 (3 3/8")
440 (17 3/8")
240 (9 1/2")

Features

Replaceable LED module

IP65 Waterproof

RGBCW color available

RGB | 2200-6500K Tunable | 50000HRS | Bluetooth

K22-MR16-4W/5W/6W/7W

Wattage	4W/5W/6W/7W
Input voltage	8-16V AC/DC
CCT	2700K-6000K
CRI	RA>90
Beam Angle	24°/36°/60°/80°

1.953in
2.016in
0.293in

Features

Cast aluminum housing

Overheat protection

Suitable for damp location

GU5.3 | 50000HRS | ETL Intertek | 5

东莞市康钜虹光电科技有限公司
DONGGUAN KJH LIGHTS CO.,LTD

ADJUSTABLE BEAM ANGLE LAMP

K23-MR16-ABA

Wattage	4/5/6/7 W
Input voltage	8-16V AC/DC
CCT	2700K-6000K
CRI	RA>90
Beam Angle	Adjustable 20°/36°/60°

Features

Adjustable Beam angle

Cast aluminum housing

Overheat protection

Suitable for damp location

GU5.3   50000HRS   ETL Intertek   5

K23-PAR36-ABA

Wattage	15W
Input voltage	8-16V AC/DC
CCT	2700K-6000K
CRI	RA>90
Beam Angle	Adjustable 20°/36°/60°

Features

Adjustable Beam angle

Cast aluminum housing

Overheat protection

IP67 waterproof

GU53   50000HRS   ETL Intertek   5

PAR36 LAMP

K18-PAR36

Wattage	6W/9W/13W/15W
Input voltage	8-16V AC/DC
CCT	2700K-6000K
CRI	RA>90
Beam Angle	15°/24°/ 36°/60°

Features

Cast aluminum housing

Overheat protection

IP67 waterproof

GU53   50000HRS   ETL Intertek   5

PAR36 LAMP

K22-PAR36

Wattage	6W/9W/13W
Input voltage	8-16V AC/DC
CCT	2700K-6000K
CRI	RA>90
Beam Angle	36°/60°

Features

Cast aluminum housing

Overheat protection

IP67 waterproof

GU53   50000HRS   ETL Intertek   5

MR11 LAMP

K23A-MR11

Wattage	3W
Input voltage	8-16V AC/DC
CCT	2700K-6000K
CRI	RA>90
Beam Angle	36°/60°

1.370in
1.5131in
1.280in
0.236in
1.252in

GU4   50000HRS   Intertek

Features

Cast aluminum housing

Overheat protection

Suitable for damp location

G4 LAMP

K23-GU4

Wattage	2.5W
Input voltage	8-16V AC/DC
CCT	2700K-6000K
CRI	RA>90
Beam Angle	360°

0.906in
1.949in
1.654in
0.709in
0.157in

GU4   50000HRS   Intertek

Features

Cast aluminum housing

Overheat protection

Suitable for damp location

SMART LED LAMP

Our Bluetooth RGBCW series LED lamps are equipped with the most advanced BT technology and have RF&BT dual-module. Operating the entire system is extremely easy with our smart app and remote controller. Allows for grouping, timing, memory, creating scenes, and synchronization. Whole system is fast and stable.

LED Lamp Features

▪ Durable cast aluminum lamp housing   ▪ 5years Warranty

▪ Suitable for damp/wet location   ▪ High lumen output

▪ Over heat and anti-surge protection

K22-MR16-RGB2250G   **K23-MR16-ABA**   **MR11**

**K23-GU4-RGB2250G**   **K22-PAR36-RGB2250G**   **K23-PAR36-ABA-RGB2250G**

Smart Function

▪ RGBW Color changing and CCT tunable from 2200K to 5000K

▪ Smart Phone App and remote controller control

▪ Function of grouping, creating scenes, timing, dimming, memory and synchronization etc.

▪ Up to 30,000 devices are allowed to add into the system

▪ Fast and reliable connection

东莞市康钜虹光电科技有限公司
DONGGUAN KJH LIGHTS CO.,LTD

PATH LIGHT

K24-BPL2509

Lamp	G4(not included)
Material	Cast brass
Finish	Antique Bronze
Lens	Clear/frosted PC

9.000in

3.394in

22.248in 18.894in

Features

Tool-less hood removable

Big hood for larger area of illumination

Choice of 1" and 1.26" thick stem

Lifetime housing warranty

LANDSCAPE FIXTURES

K23-BPL-314

K23-BPL-3151

K23-BPL-315

BPL2506S

K23-PBL-6131

BPL25D6S

BPL25D8S

K23-BPL-3141

SPOT LIGHT

K22-BL3-Fixture

Lamp	MR16(not included)
Material	Cast brass
Finish	Antique Bronze
Lens	Clear tempered glass

4.08in

2.56in

1.56in

2.00in 2.65in

Features

Cast brass construction

IP67 Waterproof

Adjustable knuckle for precise aiming

Lifetime housing warranty

MDL-BP1T2

BLS1

BLS2

MDL-BP1T3

MDL-BP1T1

K23-BDL-111

UWL-B7T0

UWL-B7T2

K23-SWL-SS422

MDL-BP1TO

K22A-BL3

UWL-B7T3

UWL-B7T1

東莞市康鉅虹光电科技有限公司
DONGGUAN KJH LIGHTS CO.,LTD

TRANSFORMER

Features

- Durable 304 stainless steel housing
- Copper winding Toroidal Core
- Thermal and over load breaker
- Timer and photocell are acceptable
- Clamp-style terminal available
- ETL Listed

ITEM NO.	K23-TF150/300	K23-TF150/300-N1 (Fast Clamp connect)
Power	150W/300W	150W/300W
Input voltage	120V AC	120V AC
Taps Outputs	12/13/14/15 VAC	12/15 V AC
Material	304 tainless steel	304 tainless steel
Core	Toroidal core	Toroidal core
Size	13.8"*6.1"*5.8"	13.8"*6.1"*5.8"

ITEM NO.	K23-TF600-N1	K23-TF600 (Fast Clamp connect)
Power	600W	600W
Input voltage	120V AC	120V AC
Taps Outputs	12/13/14/15 VAC	12/15V AC
Material	304 tainless steel	304 tainless steel
Core	Toroidal core	Toroidal core
Size	14.4"*7"*6.1"	14.4"*7"*6.1"

ACCESSORIES

K23-WF
Wifi Gateway

K22M-BL3
Replaceable LED module

K23-TX03-15
Signal Extender

K22-ST
Brass stem

K22-RFA
RGBCW
RF remote

K22-RFW
Tunable White
RF remote

K22-SP
Plastic State